

improving health through clean water innovation

Date:	Aquaya staff:	Institution:	Scheme/Region:						
Method observed:									

	OBSERVATIONS		Y/N (ea. sample)		
1	Sample Collection	1	2	3	
	What type of water was being sampled? (tap, bh=borehole, ow=open well, sp=spring, sc=storage container, wtp, res=reservoir, rw=rain)				
1.1	For tap water: Was the tap sterilized (for suppliers) prior to sampling?				
1.2	Did the water flow before collection (for about 2 min)?				
1.3	Was a sterile sample container used for sample collection? Take photo.				
1.4	If water was chlorinated, was sodium thiosulfate used?				
1.5	Was the lip of the sample container touched with unsterile material or hands at any point?				
1.6	Were the samples labeled adequately (time, date, location/ID)? Take photo.				
2	Sample Transport				
2.1	Within how many hours are samples typically processed?				
3	Sample Storage and processing				
	Take Photos of Sample Processing and Equipment				
3.1	Were surfaces and hands sterilized/gloves worn prior to sample analysis?				
3.2	Was the volume used for processing adequate and measured precisely?				
3.3	Was the sample properly labeled? Take photo .				
3.4	Was the analysis conducted in a sterile manner (careful to not touching anything unsterile)?				
	Were equipment properly sterilized between samples?				
3.5	Was the incubator set to the correct temperature (37 for EC, 44 for TTC) or for Petrifilms, are they kept in a warm enough environment?		1	•	
3.6	Was media stored in the dark or made fresh?				
3.7	Are samples stored in a fridge or on ice if they are kept overnight?				
4	Lab environment				
4.1	Is lab space clean and separated from other work areas? List any concerns:				
4.2	Does staff readily have washing space and cleaning agent available?				
4.3	Does the lab seem regularly used (washed glassware drying, etc.)?				
4.4	Is sterilization of sample containers, petri dishes / test tubes, etc. adequate? List method:				
5	Data logging and management				
5.1	Were logbooks readily available when asked? Take photo .				



5.3	Did data appear to have been entered on d	ifferent o	days and/or by different people?							
	QUESTIONS (ask in lab)									
6	Overall									
6.1	What happens to the incubator when the ele									
	What is the calibration procedure for the inc	ubator?	Last calibrated (circle):							
6.2	< 6 months 6mo-1 year >1 year Never									
6.3	If using MPN, do you have an MPN values table available?									
7	Lab evaluation / Accreditation									
7.1	Is there an external evaluation or accreditate or checks by the Ministry)?									
7.2	If so, how often?									
8	Internal Quality Control									
8.1	Are there any internal checks by other staff members to ensure procedures are being followed correctly? Describe:									
	Do you ever do	Y/N	Frequency (every batch, weekly, monthly)							
	checks on media for sterility?		, , , , , , , , , , , , , , , , , , , ,							
8.2	blank / negative controls?									
	 duplicate or replicate samples? 									
8.3	Have you ever had suspicious results or su	rprises?								
8.4	If so, describe why and what was done:									
9	REFLECTION	N / PE	RCEPTION	Y/N						
9.1	Does sample collection and analysis seem adequate? If not, list why not:									
	Does staff seem competent? If not, list why									
9.2										
	Does record keeping seem adequate? If no									
9.3	, and the state of									
	How confident are we in their testing results? Provide an overall ranking of quality control (1-									
	5). Explain:									
9.4	o). Explain									
	Did an annual desired and a series of the se									
9.5	Did we run a duplicate sample and a positive or negative control?									
0.6	Were any concerns discussed? If so, describe:									
9.6										

Other comments or concerns: